

B2
--19 (New)

The sheet-type regenerative heat exchanger according to claim 2, wherein said granules are made of one or more of an alloy, which has high specific heat at low temperatures, such as Nd, DyNi₂, Er₃Ni, Er₆Ni₂Sn, ErNi_{0.9}Co_{0.1}, Gd₅Al₂, HoCu₂, GdAlO₃, and Nd₂Fe₁₇Al, a magnetic oxide, and a magnetic substance and have a particle size of 40 to 800 μm.--


--20. (New)

The sheet-type regenerative heat exchanger according to claim 3, wherein said granules are made of one or more of an alloy, which has high specific heat at low temperatures, such as Nd, DyNi₂, Er₃Ni, Er₆Ni₂Sn, ErNi_{0.9}Co_{0.1}, Gd₅Al₂, HoCu₂, GdAlO₃, and Nd₂Fe₁₇Al, a magnetic oxide, and a magnetic substance and have a particle size of 40 to 800 μm.--

REMARKS

The above amendatory action is taken solely for the purpose of avoiding claim fees that would otherwise accrue due to the presence of multiple dependent claims.

Respectfully submitted,



WILLIAM R. EVANS
LADAS & PARRY
26 WEST 61ST STREET
NEW YORK, NEW YORK 10023
REG. NO.25,858 (212)708-1930

MARKED UP COPY

5. (Amended) The sheet-type regenerative heat exchanger according to claim 1 [any one of claims 1 to 4], wherein said granules are made of one or more of Cu alloy, stainless steel, Fe-Ni alloy and Pb-Zn alloy, with or without plating of Pb or an alloy thereof, and have a particle size of 40 to 800 μm .
6. (Amended) The sheet-type regenerative heat exchanger according to claim 1 [any one of claims 1 to 4], wherein said granules are made of one or more of an alloy, which has high specific heat at low temperatures, such as Nd, DyNi₂, Er₃Ni, Er₆Ni₂Sn, ErNi_{0.9}Co_{0.1}, Gd₅Al₁₂, HoCu₂, GdAlO₃, and Nd₂Fe₁₇Al, a magnetic oxide, and a magnetic substance and have a particle size of 40 to 800 μm .
7. (Amended) The sheet-type regenerative heat exchanger according to claim 1 [any one of claims 1 to 6], wherein said holding base is a woven cloth having a thickness of 10 to 100 μm , made from a fiber selected from the group consisting of paraaramid fiber, high tenacity polyarylate fiber, PBO fiber, polyethylene fiber, TeflonTM fiber, polyester fiber, KevlarTM fiber, natural fiber, and glass fiber, and has so small a mesh that said granules do not pass therethrough.
8. (Amended) The sheet-type regenerative heat exchanger according to claim 1 [any one of claims 1 to 6], wherein said holding base is formed of film made of polypropylene, polyimide, capton, or the like, and has a thickness of 10 to 100 μm .
9. (Amended) The sheet-type regenerative heat exchanger according to claim

1 [any one of claims 1 to 6], wherein said holding base is formed of either paper or non-woven cloth made of either artificial fiber or natural substance as a base material and has a thickness of 10 to 100 μm .

10. (Amended) A regenerator including the sheet-type regenerative heat exchanger according to claim 1 [any one of claims 1 to 9] wound in multiple layers around a core which is constituted by either one piece or divided pieces, formed in either a columnar shape or other shapes, and made of a material having an extremely low expansion coefficient and thermal conductivity.

15. (Amended) A refrigerator using the sheet-type regenerative heat exchanger according to claim 1 [any one of claims 1 to 9] for a regenerator.